








 16,5X100-6.5"X40"	 15X60-6"X24"
 <input type="checkbox"/> ST <input checked="" type="checkbox"/> N <input type="checkbox"/> ○	PQOD 161A RM	PQOD 156A
 <input type="checkbox"/> ST <input checked="" type="checkbox"/> N <input type="checkbox"/> ○	PQOD 161B RM	PQOD 156B

	 16,5X100-6.5"X40"	 15X60-6"X24"
 <input type="checkbox"/> ST <input checked="" type="checkbox"/> N <input type="checkbox"/> ○	PQOD 161BS RM	PQOD 156BS
 <input type="checkbox"/> ST <input checked="" type="checkbox"/> N <input type="checkbox"/> ○	PQOD 161T RM	PQOD 156T

PEZZI SPECIALI / SPECIAL PIECES

ST N ○



A	PQOD BT60A	PQOD BT100A
B	PQOD BT60B	PQOD BT100B
BS	PQOD BT60BS	PQOD BT100BS
T	PQOD BT60T	PQOD BT100T

CARATTERISTICHE TECNICHE SPECIFICHE / TECHNICAL FEATURES SPECIFICATIONS

PQOD	DIN 51130 (R)	DIN 51097 (A+B+C)	BCR REP. CEC 6/81		DM 14/6/89 N. 236		PENDULUM TEST BS (INGLESE)	PENDULUM TEST AS/NZS 4856:2004 (AUSTRALIANO)	PENDULUM TEST UNE ENV 12633:2003 (SPAGNOLO)	BOT 3000 (DCOF)
			g.a.	g.b.	c.a.	g.b.				
	R9	A	-	-	-	-	-	-	1	0.48

